


Smart Curtain

Smart Electric Curtain Driver for Remote Control and Home Automation



Tuya Smart



Smart Life




Voice Control



Timing Function



APP Control



Functions and Technical Specification

Product Name	Curtain Motor	Model Number	M1936
Function	Wi-Fi / Zigbee	Color	White
Total Size	1.2m to 6.2m	Style	Simple& Fashion& Convenient
Rated voltage (DC)	AC90-240V 50/60Hz	Working environment	0 °C to 80 °C
Rated power	35W	The motor size	275mm X 64mm X 52mm
Withstand voltage test	1800V 1min 5mA	Rated speed	105 rpm
Single open speed	10-13cm/s	The rated torque	1.5 Nm
Enclosure protection class	IP41	Material	Aluminum alloy
Insulation class	E	Certificate	CCC, CE, Rosh2.0,Wireless EMC ,EMF, LVD

Soft Start	✓	Manual Mode When Power Cut	✓	Overload Protection	✓
Electrical Limit	✓	Preferred Stop Point	✓	Overtime Protection	✓
Speed Regulation	✓	Intelligent Route Amending	✓	Fabric Rebounding Identify	✓
AC Contact Control	✓	Remote Control	✓	Reset	✓



Make the best smart home,
have the best life

**HIGH-TECH DESIGN
MORE QUIET**



**DOUBLE SHOCK
ABSORPTION
MORE STABLE**




**THICKENED
ELECTROPHORETIC
TRACK
MORE SMOOTH**




How To Measure

HOW TO MEASURE



Inter wall mounted
Customized Length: $L-4\text{cm}$




Outer window mounted
Customized Length: $L+60\text{cm}$

HOW TO SETUP THE CURTAIN



One rail

Only one motor is needed.



Two rails

Two motors are needed.



Two side

Curtain can be opened from two directions.



One side

Curtain can be opened from one direction.




Full dimension size



Window dimension size

Product details

Stable and reliable



Transfer Box



Carrier




Mute Wheel



Clamping Ear



Track



Rubber Belt



Coupling



Transfer Box